#### NOTICE TO CALIFORNIA COMMERCIAL FISHERMEN AND PROCESSORS

2004 Federal Groundfish Management Measures that Affect Fishermen in Federal and State Waters off California

## FIXED GEAR

#### LIMITED ENTRY

#### November – December

# Most Groundfish (exceptions) Fishing With Non-Trawl Gear Is Prohibited Within The Non-Trawl Rockfish Conservation Area (RCA).

#### Oregon border south to 40° 10' N latitude

The RCA is generally defined as the waters between 30 and 100 fathoms.

### 40° 10' N south to 34° 27' N latitude (Point Conception)

The RCA is generally defined as the waters between 30 and 150 fathoms. Also the waters around the Farrallon Islands are closed shoreline to the 10 fathom depth contour.

#### 34° 27' N latitude south to Mexico border

The RCA is generally defined as the waters between 60 and 150 fathoms (also applies around islands) except in the Cowcod Conservation areas and the Channel Islands Marine Protected Areas.

The actual boundaries of the RCA are defined by a series of straight lines between "way points". The coordinates for the way points are available from the National Marine Fisheries Service (NMFS-SEA-04-07). Footrope restrictions see note 3. Vessels may transit the RCA with or without groundfish onboard provided the gear is stowed (see federal register for the definition of stowed).

### LANDINGS ARE RESTRICTED TO THE SPECIES OR SPECIES GROUPS LISTED BELOW! No Darkblotched Rockfish Retention Allowed!

| North of 40°10' N.   |   |  |  |
|--|---|--|--|
| Latitude <sup>1/</sup>   | NOV-DEC   |  |  |
| Minor slope rockfish <sup>4/</sup>                                   | 4,000 lb/ 2 months  |  |  |
| Pacific ocean perch  | 1,800 lb/ 2 months  |  |  |
| Minor shelf rockfish <sup>4/</sup><br>Widow & Yellowtail<br>Rockfish | 200 lb/ month   |  |  |
| Minor nearshore rockfish   | 5,000 lb/ 2 months, no more than<br>1,200 lb of which may be species<br>other than black or blue rockfish6/ |  |  |
| Thornyheads  |   |  |  |
| Longspine thornyhead   | 10,000 lb / 2 months  |  |  |
| Shortspine thornyhead  | 2,000 lb/ 2 months  |  |  |
| Flatfish   |   |  |  |
| Dover sole   |   |  |  |
| Arrowtooth flounder  |   |  |  |
| Petrale sole   | 5,000 lb/ month   |  |  |
| Rex sole   |   |  |  |
| All other flatfish <sup>2/</sup>                                     |   |  |  |
| Sablefish  | 300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 3,600 lb/ 2 months                        |  |  |
| Whiting <sup>3/</sup>  | 10,000 lb/trip  |  |  |
| Lingcod <sup>7/</sup>  | CLOSED5/  |  |  |

|    | South of 40°10' N.<br>Latitude <sup>1/</sup>                       | NOV-DEC             |  |
|----|--|---------------------|--|
| 1  | Minor slope rockfish <sup>4/</sup>                                 |                     |  |
| 2  | 40°10' - 38° N. lat.   | 10,000 lb/ 2 months |  |
| 3  | South of 38° N. lat.   | 50,000 lb/ 2 months |  |
| 4  | Splitnose  |                     |  |
| 5  | 40°10' - 38° N. lat.   | 10,000 lb/ 2 months |  |
| 6  | South of 38° N. lat.   | 50,000 lb/ 2 months |  |
| 7  | Minor shelf rockfish, Chilipepper and Widow rockfish <sup>4/</sup> |                     |  |
| 9  | 40°10' - 34°27' N. lat.  | 300 lb/ 2 months    |  |
| 10 | South of 34°27' N. lat.  | 2,000 lb/ 2 months  |  |
| 12 | Bocaccio   |                     |  |
| 13 | 40°10' - 34°27' N. lat.  | 300 lb/ 2 months    |  |
| 14 | South of 34°27' N. lat.  | 300 lb/ 2 months    |  |
| 15 | Minor nearshore rockfish   |                     |  |
| 16 | Shallow  |                     |  |
| 17 | 40°10' - 34°27' N. lat.  | 300 lb/ 2 months    |  |
| 18 | South of 34°27' N. lat.  | 300 lb/ 2 Horitis   |  |
| 19 | Deep   |                     |  |
| 20 | 40°10' - 34°27' N. lat.  | 500 lb/ 2 months    |  |
| 21 | South of 34°27' N. lat.  | 400 lb/ 2 months    |  |
| 22 | CA Scorpionfish  | 300 lb/ 2 months    |  |

| Other Fish <sup>9/</sup> | Not limited | 23 | Thornyheads                      |   |
|--------------------------|-------------|----|----------------------------------|---|
|                          |             | 24 | Longspine thornyhead             | 10,000 lb / 2 months  |
|                          |             | 25 | Shortspine thornyhead            | 2,000 lb/ 2 months  |
|                          |             | 26 | Flatfish                         |   |
|                          |             | 27 | Dover sole                       | 5.000 lb/ month   |
|                          |             | 28 | Arrowtooth flounder              | When fishing for Pacific sanddabs, vessels using hook-and-line gear with no more than 12 hooks  |
|                          |             | 29 | Petrale sole                     | per line, using hooks no larger than "Number 2"   |
|                          |             | 30 | Rex sole                         | hooks, which measure 11 mm (0.44 inches) point to shank, and up to 1 lb (0.45 kg) of weight per |
|                          |             | 31 | All other flatfish <sup>2/</sup> | line are not subject to the RCAs.   |
|                          |             | 32 | Sablefish                        |   |
|                          |             | 33 | 40°10' - 36° N. lat.             | 300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 3,600 lb/ 2 months            |
|                          |             | 34 | South of 36° N. lat.             | 350 lb/ day, or 1 landing per week of up to 1,050 lb  |
|                          |             | 35 | Whiting <sup>3/</sup>            | 10,000 lb/trip  |
|                          |             | 36 | Lingcod <sup>7/</sup>            | CLOSED5/  |
|                          |             | 37 | Other Fish <sup>9/</sup>         | Not limited   |

- 1/ "North" means 40o10' N. lat. to the U.S.-Canada border. (40o10' N. lat. is about 20 nm south of Cape Mendocino, CA.) & "South" means 40o10' N. lat. To the U.S.-Mexico border. (40o10' N. lat. is about 20 nm south of Cape Mendocino, CA.)
- 2/ "Other flatfish" means all flatfish at 50 CFR 660.302 except those in this Table 4 with species specific management measures, including trip limits.
- 3/ The whiting "per trip" limit in the Eureka area shoreward of 100 fm is 10,000 lb/ trip all year. Outside Eureka area, the 20,000 lb/ trip limit applies. See IV. B.(3).
- 4/ N. of 40o10' N Bocaccio and chilipepper are included in the trip limits for minor shelf rockfish and splitnose rockfish is included in the trip limits for minor slope rockfish. S. of 40°10' N Yellowtail is included in the trip limits for minor shelf rockfish and POP is included in the trip limits for minor slope rockfish.
- 5/ Closed means that it is prohibited to take and retain, possess, or land the designated species in the time or area indicated. See IV. A.(7).
- 6/ For black rockfish north of Cape Alava (48°09'30" N. lat.), and between Destruction Island (47°40'00" N. lat.) and Leadbetter Point (46°38'10" N. lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
- 7/ The minimum size limit for lingcod is 24 inches (61 cm) total length.
- 8/ The "Rockfish Conservation Area" is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat./long. coordinates set out at IV. A.(17)(f), that may vary seasonally.
- 9/ Other fish are defined at 50 CFR 660.302, as those groundfish species or species groups for which there is no trip limit, size limit, quota, or harvest guideline.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.



#### NOTICE TO CALIFORNIA COMMERCIAL FISHERMEN AND PROCESSORS

2004 Federal Groundfish Management Measures that Affect Fishermen in Federal and State Waters off California

## **NON-TRAWL**

## **OPEN ACCESS**

#### November – December

# Most Groundfish (exceptions) Fishing With Non-Trawl Gear Is Prohibited Within The Non-Trawl Rockfish Conservation Area (RCA).

# Oregon border south to 40° 10' N latitude

The RCA is generally defined as the waters between 30 and 100 fathoms.

### 40° 10' N south to 34° 27' N latitude (Point Conception)

The RCA is generally defined as the waters between 30 and 150 fathoms. Also the waters around the Farrallon Islands are closed shoreline to the 10 fathom depth contour.

#### 34° 27' N latitude south to Mexico border

The RCA is generally defined as the waters between 60 and 150 fathoms (also applies around islands) except in the Cowcod Conservation areas and the Channel Islands Marine Protected Areas.

The actual boundaries of the RCA are defined by a series of straight lines between "way points". The coordinates for the way points are available from the National Marine Fisheries Service (NMFS-SEA-04-07). Footrope restrictions see note 3. Vessels may transit the RCA with or without groundfish onboard provided the gear is stowed (see federal register for the definition of stowed).

### LANDINGS ARE RESTRICTED TO THE SPECIES OR SPECIES GROUPS LISTED BELOW! No Darkblotched Rockfish Retention Allowed!

|  |  | 1 |
|--|--|---|
| North of 40°10' N.<br>Latitude <sup>1/</sup>                         | NOV-DEC  |   |
| Minor slope rockfish <sup>4/</sup>                                   | Per trip, no more than 25% of weight of the sablefish landed   |   |
| Pacific ocean perch  | 100 lb/ month  |   |
| Minor shelf rockfish <sup>4/</sup><br>Widow & Yellowtail<br>Rockfish | 200 lb/ month  |   |
| Minor nearshore rockfish   | 5,000 lb/ 2 months, no more<br>than 1,200 lb of which may be<br>species other than black or blue<br>rockfish6/ |   |
| Thornyheads  |  |   |
| Longspine thornyhead   | CLOSED5/   |   |
| Shortspine thornyhead  |  |   |
| Flatfish   |  |   |
| Dover sole   | 3,000 lb/month, no more<br>than 300 lb of which may be<br>species other than Pacific<br>sanddabs.              |   |
| Arrowtooth flounder  |  |   |
| Petrale sole   |  |   |
| Rex sole   |  |   |
| All other flatfish <sup>2/</sup>                                     |  |   |
| Sablefish  | 300 lb/ day, or 1 landing per<br>week of up to 900 lb, not to<br>exceed 3,600 lb/ 2 months                     | 2 |

| South of 40°10' N.<br>Latitude <sup>1/</sup>                       | NOV-DEC  |  |  |
|--|--|--|--|
| Minor slope rockfish <sup>4/</sup>                                 |  |  |  |
| 40°10' - 38° N. lat.   | Per trip, no more than 25% of weight of the sablefish landed |  |  |
| South of 38° N. lat.   | 10,000 lb/ 2 months  |  |  |
| Splitnose  | 200 lb/ month  |  |  |
| Minor shelf rockfish, Chilipepper and Widow rockfish <sup>4/</sup> |  |  |  |
| 40°10' - 34°27' N. lat.  | 300 lb/ 2 months   |  |  |
| South of 34°27' N. lat.  | 2,000 lb/ 2 months   |  |  |
| Bocaccio   |  |  |  |
| 40°10' - 34°27' N. lat.  | 200 lb/ 2 months   |  |  |
| South of 34°27' N. lat.  | 100 lb/ 2 months   |  |  |
| Minor nearshore rockfish   |  |  |  |
| Shallow  |  |  |  |
| 40°10' - 34°27' N. lat.  | 200 lb/ 2 months   |  |  |
| South of 34°27' N. lat.  | 300 lb/ 2 months   |  |  |
| Deep   |  |  |  |
| 40°10' - 34°27' N. lat.  | 500 lb/ 2 months   |  |  |
| South of 34°27' N. lat.  | 400 lb/ 2 months   |  |  |
| CA Scorpionfish  | 300 lb/ 2 months   |  |  |

| Whiting <sup>3/</sup>    | 300 lb/ month | 21 | Thornyheads                      |   |
|--------------------------|---------------|----|----------------------------------|---|
| Lingcod <sup>7/</sup>    | CLOSED5/      | 22 | 40°10' - 34°27' N. lat.          | CLOSED5/  |
| Other Fish <sup>9/</sup> | Not limited   | 23 | South of 34°27' N. lat.          | 50 lb/ day, no more than 1,000 lb/ 2 months   |
|                          |               | 24 | Flatfish                         |   |
|                          |               | 25 | Dover sole                       |   |
|                          |               | 26 | Arrowtooth flounder              | 3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. When fishing for |
|                          |               | 27 | Petrale sole                     | Pacific sanddabs, vessels using hook-and-line gear<br>with no more than 12 hooks per line, using hooks no |
|                          |               | 28 | Rex sole                         | larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to 1 lb of weight  |
|                          |               | 29 | All other flatfish <sup>2/</sup> | per line are not subject to the RCAs.   |
|                          |               | 30 | Sablefish                        |   |
|                          |               | 31 | 40°10' - 36° N. lat.             | 300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 3,600 lb/ 2 months                      |
|                          |               | 32 | South of 36° N. lat.             | 350 lb/ day, or 1 landing per week of up to 1,050 lb  |
|                          |               | 33 | Whiting <sup>3/</sup>            | 300 lb/ month   |
|                          |               | 34 | Lingcod <sup>7/</sup>            | CLOSED5/  |
|                          |               | 35 | Other Fish <sup>9/</sup>         | Not limited   |

- 1/ "North" means 40o10' N. lat. to the U.S.-Canada border. (40o10' N. lat. is about 20 nm south of Cape Mendocino, CA.) & "South" means 40o10' N. lat. To the U.S.-Mexico border. (40o10' N. lat. is about 20 nm south of Cape Mendocino, CA.)
- 2/ "Other flatfish" means all flatfish at 50 CFR 660.302 except those in this Table 4 with species specific management measures, including trip limits.
- 3/ The whiting "per trip" limit in the Eureka area shoreward of 100 fm is 10,000 lb/ trip all year. Outside Eureka area, the 20,000 lb/ trip limit applies. See IV. B.(3).
- 4/ N. of 40o10' N Bocaccio and chilipepper are included in the trip limits for minor shelf rockfish and splitnose rockfish is included in the trip limits for minor
  - slope rockfish. S. of 40°10' N Yellowtail is included in the trip limits for minor shelf rockfish and POP is included in the trip limits for minor slope rockfish.
- 5/ Closed means that it is prohibited to take and retain, possess, or land the designated species in the time or area indicated. See IV. A.(7).
- 6/ For black rockfish north of Cape Alava (48°09'30" N. lat.), and between Destruction Island (47°40'00" N. lat.) and Leadbetter Point (46°38'10" N. lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
- 7/ The minimum size limit for lingcod is 24 inches (61 cm) total length.
- 8/ The "Rockfish Conservation Area" is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat./long. coordinates set out at IV. A.(17)(f), that may vary seasonally.
- 9/ Other fish are defined at 50 CFR 660.302, as those groundfish species or species groups for which there is no trip limit, size limit, quota, or harvest guideline.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

